


Bernardelli *for defence*

SEMITAU TO SA12

PUMP PA 12



Vincenzo Bernardelli
Firearms of distinction for centuries





PA12 TELESCOPIC

camera 76, calcio telescopico, asta lunga, lunghezza canna 50 cm, slitta picatinny, 8 colpi, opzione "DIOTTRA"

3" ch, telescopic stock, long forearm, 20" barrel, picatinny rail, 8 rounds, optional ghost ring



SA12 / 5

camera 76, lunghezza canna 46 cm, 5 colpi, filettatura in volata

3" ch, 18" barrel length, 5 rounds, muzzle thread



PA12

camera 76, lunghezza canna 50 cm CYL - 8 COLPI
3" ch, 20" CYL barrel length - 8 ROUNDS



PA12 DEFENCE

camera 76, impugnatura a pistola, calcio ribaltabile,
asta lunga, lunghezza canna 36 cm oppure 50 cm, slitta
picatinny, filettatura volata per accessori

3" ch, pistol grip, folding stock, long forearm, 14" or 18"
barrel length, 5 rounds, picatinny rail, muzzle thread for
accessories



TELESCOPIC AND FOLDING STOCK AVAILABLE



SA12 / 10

camera 76, lunghezza canna 61 cm, 10 colpi, filettatura in volata
3" ch, 24" barrel length, 10 rounds, muzzle thread

PUMP PA 12

I fucili a pompa sono direttamente derivati dai modelli semi-auto mantenendo le stesse caratteristiche di robustezza.

Grazie al sistema manuale di riarmo possono essere sparate tutte le cariche di cartucce in calibro 12 ch. 76 (letali e non letali)

Sono previste diverse lunghezze di canna e diverse configurazioni di calcio e astina per ottimizzarne l'uso.

E' possibile avere una capacità totale di 8 colpi con canne da 51 cm oppure di 5 colpi con canne da 36 cm di lunghezza

E' disponibile una astina lunga con slitta picatinny integrata

Tutti I fucili a pompa sono testate al Banco Nazionale di Prova "CIP Steel Shot Test"

PA12 is a pump model directly derived from semiauto shotgun, maintaining the same construction patterns but with a manual operating system.

Thanks to manual operating system, every kind of ammunition in 12ga 3" chambered can be used (lethal, not-lethal or less lethal loaded).

Different length of barrels and different configuration of stock and other features help to optimize the gun for different uses.

It is possible to have an 8 rounds capacity with 20" barrel or 5 rounds capacity with 14" barrel for a shorter and compact configuration.

Also a long forearm is available and configured with an integral weaver picatinny rail for options like torch, laser, etc.

All pumps are tested "CIP Steel Shot Test" at National Proof House

SEMITAU TO SA12

Il fucile semiauto SA12 in cal.12 ch. 76 è un modello a recupero di gas appositamente studiato per necessità di law enforcement e tiro dinamico.

La molla di recupero è posizionata sul tubo serbatoio per una facilità di ispezione e pulizia. Il pistone in acciaio inox è protetto con le moderne tecnologie

SA12 può sparare tutte le cariche dai 28 ai 56 grammi

Grazie al sistema di recupero e al monolitico carrello di armamento, SA12 è stabile allo sparo con poco impennamento e soffice rinculo.

Sono possibili 3 diverse configurazioni:

- versione compatta a 5 colpi con canna 46 cm
- versione standard a 8 colpi con canna 51 cm
- versione per tiro dinamico a 10 colpi con canna da 61 cm

SA12 is a semiauto 12 gauge 3" chambered shotgun with gas operating system properly developed for defence and law enforcement needs. Its main feature is high and strong resistance of all components.

The main spring is located over the magazine tube for an easy and quick cleaning and maintenance. Gas piston in stainless steel is also protected with new plasma technologies (zirconium protection) in order to avoid corrosion.

SA12 can shoot all types of ammunitions starting from 28 g to 56 g loads.

Thanks to gas reloading system, SA12 is a stable shotgun during shooting, with low barrel jump and soft recoil sensation.

It is possible to have at least 3 different configuration of SA12

- compact version 5 rounds and 18" barrel
- standard version 8 rounds and 20" barrel
- dynamic version 10 rounds and 24" barrel



Vincenzo Bernardelli s.r.l.
Firearms of distinction for centuries

25030 Torbole Casaglia (Brescia) Italy • Via Grandi, 10

tel. +39 030 2151094 • fax +39 030 2150963

www.bernardelli.com • e-mail: bernardelli@bernardelli.com